KINGPAK

Wenzhou Factory

KINGPAK MANUFACTURING CO



KINGPAK WWW. Kingpak123. com

VFFS Packing Machine

HP1000L-Ⅰ
2500bags/h
200-500ml
HP1000L-Ⅱ
1600bags/h
500-1000ml

HP1000L-Ⅰ
HP1000L-Ⅱ

1300 Bags/h
500-1000ml
PHOTO CELL

HP1000L-Ⅲ
Laminated

1300 Bags/h
200-500 ml

HP1000L-B
Side Sealing

HP6500:1-5L 400-800bags/H.
Film width:520mm
HP7500:1-8L 200-600bags/H.
Film width:720mm
HP8100:10L 200-600bags/H.
Film width:810mm

HP6500/HP7500/HP8100

Speed:30-60pcs/min
Filling:2-200G
Accuracy:±2%
L40-190mm
XW30-140mm

HP150G For Grain

Speed:30-60pcs/min
Filling: 1-100ml
Pneumatic type:50-200ml
L40-190mm
X W30-140mm

HP150L For Paste

HP150P For Powder

HP150P:1-50ml
30-50bags/min.
Bag L:40-200mm
W:10-140mm
HP200P:50-200 ml
HP500P:100-500ml
15-30bags/min.
Bag L:50-270mm
W:30-180mm
HP1000P:200-1000ml
10-20bags/min
Bag L:50-270mm
W:50-180mm

5000 Bags/h
200-500 ml
500-1000ml

HP2-1000L

Filling:100-1500grm
Speed:15-70bags/min
Bag size:L80-300
W80-200mm
Air source:0.6mpa

HP2000G

packing speed:5-10bags/min
laminated film
Max.film width:720mm
filling volumn: Max.2000ml
Size: 1000x2050x2300mm

HP500D

EPV-3220-PA
Irregular Products
Packing Machine

Speed:30-60pcs/min
Filling:50-200G
Accuracy:±2%
L40-190mm
XW30-140mm

HP150G
With Vibrate Counter.

SUN-420&520

SUN-720

SUN-820

SUN-1020

Wenzhou Factory
MOBILE: +86 18858875678
TEL: 086-577-88377908
FAX: 0086-577-88360028
Email: joseph@kingpak123.com
kingpak@kingpak123.com

Smart Packing Machine

N100

N500

N1000

N-2T100

N-2T500

N-2T1000

Flow Packing Machine

250/350

400/450

500/600

700/800

Accessory

Load:50kg ,Power:0.2kw
HP426 Finished Product Conveyor

Screw elevator
Lifting height: 3m-20m
Lifting capacity: 1-10ton/hour

Lifting conveyor
ZH-P3 Capaity:3m3/h

Z-Type Elevator

Semi & Manual Filler

5-50ml,Hopper 10L,
Accuracy:±0. 2-0. 5ml
Capacity: 20-60times/min.

A03 Manual filler



A02 Pneumatic Filler



G1WY Single Head Lquid Filler



G2WY Duo Heads Lquid Filler

HP-BA
Single Head Paste Filler
(Piston)

HP-B
Duo Head Paste Filler (Piston)

HP-500U Mixing Sauce
Filling Machine

G1LY Floor Typeone head
Liquid Filling Machine

Floor-Pressure
Filling Machine

HP-C Vertical
Piston Liquid Filler

HP-CD
Two Heads

HP-C
with mixer and big valve

10-200grm
100-750grm,
200-1000grm
5000grm

KFG50 Filling For Grain
With Stainless Steel Body

Model: KF1000P
Range of weight:20-1000g
Precision: ≤± 0.3%
Speed: ≤20pcs/min

KF1000P
Powder Filling Machine

KF2000P
20g ~ 200 g; 200g ~ 1000 g; 500g ~ 2000 g
speed: 15 ~ 35 bags/min
Precision: ±0.2 ~ 0.5%
KF5000P
Metering range: 500g ~ 2000g,2000-5000 g
speed: 15 ~ 35 bags/min

KF2000P/KF5000P
Filling for Powder with servo motor

Filling:400-1000ml
Speed:10-20pcs/min
Accuracy:±1-5ml

Filler for Toilet Cleaner

Digital Smart Filler

F100

F500

F999

F99999

F-2T100

F-2T500

F-2T999

F-2T9999

Wenzhou Factory
MOBILE: +86 18858875678
TEL: 086-577-88377908
FAX: 0086-577-88360028
Email: joseph@kingpak123.com
kingpak@kingpak123.com

Automatic Filling Machine

Straight Line Liquid Filling Machine

Straight Paste Filling Machine

Automatic Carousel Filling Capping Machine

Automatic Servo Filling Machine

Automatic Labeling Machine

LT-300
Flattening Machine

LT-600
Automatic Double-Sided
Labeling Machine

LT-260
Automatic Vertical Round Bottle
Positioning Labeling Machine

LT-220
Automatic Vertical
Labeling Machine

Automatic Capping Machine

Linear Capping Machine

Rotary Capping Machine

Linear Duckbill Capper

YS-31819
Automatic Cans Sealing Machine

Semi Labeler


MT-30 Hand Labeling Machine

MT-60 Flattening Machine

MT-50 Round Bottle
Label Machine

MT-50 Round Bottle Label
Machine+Fight Code Machine

Accessory

MT-150B Automatic Shrinking
Film Sets of Standard Machine

Simple Bottle Machine

MT-100 Automatic Box-Type
Bottle Machine

Automated Assembly Line

4 Auto Piston Filling Head +Auto Cap Loader +Auto Can Sealer



Bottle Unscrambler +Auto Piston Filling Machine +Auto Cap Loader +Aut to Capping Machine +Auto Labeling Machine

Bottle Unscrambler + Horizontal Auto Piston Filling Machine +Auto Cap Loader +Auto Capping Machine

Table Top Auto Filling Machine

Table Top Auto Capping Machine

Table Top Auto Labeling Machine

Wenzhou Factory
MOBILE: +86 18858875678
TEL: 086-577-88377908
FAX: 0086-577-88360028
Email: joseph@kingpak123.com
kingpak@kingpak123.com

Shrink

FM3028
2 In 1 Shrink Packing Machine
Sealing size:300x280mm

BFS-5540/BFS-5540A
Chamber Size: 550x400
BFS-5540/5540A With conveyor Out

BSL2015 Shrink Tunnel
With L-bar Sealer
Packing size:500*400*250

Label Shrinking Machine

Shrink for bottle cap
GP405
Bottle:400mmxϕ100mm
Tunnel size:830x100x100mm

GP403
Tunnel Size: 105x400
Speed: 10m/min
Shrink For Bottle Label

GP1500
Efficiency Steam
Shrink Tunnel
Tunnel size:1500X140X400mm

Shrinking Tunnel

SM6040/SM6540
Tunnel Size: 1800/650X400mm
1500X600/400mm

SM4530/SM4535
Tunnel Size:1500×450×300mm
/1500×450×350mm

BS4020/BS4525
Tunnel Size: 400x200/450x250mm

Sleeves Shrinking Machine

Full-auto ST-6030AH+6040
Packing Size: 600x300x300mm
Speed: 8-18pcs/min

Sami-auto ST-6030+SM-6040
Packing Size: 600x300x300mm
Speed: 8-12pcs/min

Full-auto ST-6030A+SM-6040
Packingsize: 600x300x300mm
Speed: 8-20pcs/min

Shrink Wrapper

POF shrink film

BSL-560A Automatic L-bar sealer
Sealing Length:570×480mm
Packing Height:125mm
Max.Film size:530(w)×280mm
Air compressor:0.5MPA

BSL5545HE/5545HF Fully Automatic Vertical Sealing and Cutting Machine

Automatic Stretch Wrapping Machine

Film Diameter:280mm
Max.width:500mm
Inner.core:Φ76mm Udpe
Turntable:Φ1500mm
Speed:0-12r/min
Capacity:2000kg
Packing Height:2100mm



XT4503 Pre-stretch

XT4502T With Top Press

Semi-auto Strapping Machine

ST900L

ST900 Table Type

Carton Sealer

FXJ-6050 Top Bottom Belt Drive Carton Sealer

FXJ-5050 Side Belt Drive Case Carton Sealer

Automated Carton Sealing Line

FXJ-755H Corner Sealing Machine

FXJ-5050 Flap Folding Sealing Machine

DQKX-50 Fully Automatic Box Opening Machine

Insert cardboard > Automatic adjustment for bottom sealing > Fold upper flap > Complete upper and lower box sealing > Rotate the carton 90° > "H-type" box sealing completed

Induction Sealer

Capacity:1-10B/min.
Sealing dia.:40-150mm
Power:1kw

KIS-100
Rotating Jar sealing machine

Sealing diameter: Φ20mm~Φ130mm
Bottles height: 40~400mm
Transportation diameter: ≤Φ200mm
Sealing speed: 2 to 12 m/min
Conveyor unit bearing load: ≤20Kg

LGYF-2000BX
Continuous Induction Sealer

Power:1.5kw
Speed:0-10mtrs/min.
Sealing dia:20-50mm
Bottle height:40-200mm

LGYF1500A-I
Continuous Induction Sealer

Induction Sealer
KIS1068/KIS8068
Φ10-60/ Φ0-130mm
15 Bottles/min

Wenzhou Factory
MOBILE: +86 18858875678
TEL: 086-577-88377908
FAX: 0086-577-88360028
Email: joseph@kingpak123.com
kingpak@kingpak123.com

Pure Water Engineering Plan







Storage Tank

Hollow Fiber Ultra Filtration System

R.O Purification System

Automatic Bottle Unscrambler

Wasing-Filling-Capping Machine

Automatic Sleeve Labeling Machine Line

Ink Jet Printer

Semi Auto Shirink Packing Machine

Automatic Bottle Blowing Machine

Semi Bottle Blowing Machine

Fresh Fruit Juice Engineering Plan



Juice Extractor

Colloid Mill

Pulp Beater

Storage Tank

Hollow Fiber Ultra Filtration System

R.O Purification System

Centrifugal Pump

Duplex Filter

Homogenizer

Plate Heat Exchanger

Bottle Tilting Sterilizer

Automatic Bottle Unscrambler

Wasing-Filling-Capping Machine

Automatic Sleeve Labeling Machine Line

Ink Jet Printer

Semi Auto Shirink Packing Machine

Integrated CIP System

Automatic Bottle Blowing Machine

Semi Bottle Blowing Machine

Wenzhou Factory
MOBILE: +86 18858875678
TEL: 086-577-88377908
FAX: 0086-577-88360028
Email: joseph@kingpak123.com
kingpak@kingpak123.com

Bagged Milk Engineering Plan



Juice Extractor

Colloid Mill

Pulp Beater

Storage Tank

Hollow Fiber Ultra Filtration System

R.O Purification System

Centrifugal Pump

Duplex Filter

Homogenizer

Plate Heat Exchanger

Milk Cooling Tank

Plate UHT Sterilizer

Bottle Tilting Sterilizer

Automatic Bottle Unscrambler

Wasing-Filling-Capping Machine

HP1000L Liquid Packaging Machine

BG Cup Filling Sealing Machine

Automatic Sleeve Labeling Machine Line

Ink Jet Printer

Semi Auto Shirink Packing Machine

Table Top Sealer

KS-100 4″
KS-200 8″

KS-300 12″
KS-400 16″
KS-500 20″

With middle Cutter
KS-200C 8″
KS-300C 12″

With Side Cutter
- KS-200C 8″
- KS-300C 12″
- KS-400C 16″
- KS-500C 20″

Iron Body
- KS-200I
- KS-300I
- KS-400I

Plastic Body
- KS-100P
- KS-200P
- KS-300P
- KS-400P



KW-380/450
PRESERVATIVE FILM PACKAGING MACHINE

KS-200B/10mm
KS-300B/8mm

FKR200A/300A/400A
HAND IMPULSE CRIMPER SEALER

SHRINK A PACK
SKA300/450/600
450W/530W/800W

FKR200/300/400
HAND CONSTANT CRIMPER SEALER

With Cutter
450HIC/600HIC/750HIC
900HIC/1000HIC

Portable Impulse Sealer
450HI/600HI/750HI
900HI/1 000HI

KSA-450/600
Auto Sealer

KS-400A/500A

Pedal Sealer

KS-F350/450/600/800
Big Table Optional

Double Heating Sealer
KS-F350/450/600/800×2

KS-F350/F450/F600/F800
With Coder



Direct Heat Sealer
KS-DD300/400

Pneumatic Pedal Sealer
KS-FQ350/ FQ 450/
FQ 600/ FQ 800

Vertical Sealing Head
KS-F350FIT/450FIT/600FIT/800FIT

AUTO TYPE

Auto Pedal Sealer
KS-FS350/FS450/
FS600/FS800

SF400C/SF600C
With Cutter

Wenzhou Factory
MOBILE: +86 18858875678
TEL: 086-577-88377908
FAX: 0086-577-88360028
Email: joseph@kingpak123.com
kingpak@kingpak123.com

Continouus Band Sealer

Optional:
Gas filling system
Vacuum system

FR-550

FR990

FR-770

FR-770

FR-900

FR-900

DBF-900W
With Embossing Date

DBF-900LW
With Embossing Date

CBS900W S/S
With Embossing Date

CBS-900LW s/s
With Embossing Date

CBS-1100V
With Ink Date Coder

CBS1600V

CBS1900V

PFS-750A Pneumatic
Impulse Sealer

Table Top Vacuum Machine

DZ-260/PD

DZ-300/PD

DZ-400A

DZ-260C

Double Chamber Vacuum Machine

DZ-4002SB

DZ-4002SA

DZ-5002SB

DZ-5002SA

DZ-6002SB

DZ-6002SA

DZ-7002SB

DZ-7002SA

DZ-8002SA

DZ-1100

DZ-600H

DZ-600V

Wenzhou Factory
MOBILE: +86 18858875678
TEL: 086-577-88377908
FAX: 0086-577-88360028
Email: joseph@kingpak123.com
kingpak@kingpak123.com

Cap/Tray Sealer

LQ-SD

LQ-ZD2014

LQ-ZD

LQ-QD-F

LQ-QD-P

LQ-ZXPM

CUP FILLING - SEALING - CUTTING - MACHINE

BG32A 960 Cups/h

BG60A 3600 Cups/h

LQ-ZDTT Automatic Body Fitting Packing Machine

Packaging effect display

MAP Machine

LQ-MAP260-TS

LQ-MAP260

LQ-MAP370/450

LQ-MAP750L

Can Sealer

TDFJ-200

KIS450

TDFJ-260

CS-A180

TDFJ-160Ⅱ

DGT42

Mini Vacuum Sealer



W310

P280B Black

P290 Black

PW-300

EMBOSSED BAG ROLL BAG



FLAT BAG

FLAT ROLL BAG



EMBOSSED BAG

size	pcs	material	1 side thickness
12*500cm	2pcs/pack	PA+PE	110 micron
15*500cm	2pcs/pack	PA+PE	110 micron
17*500cm	2pcs/pack	PA+PE	110 micron
20*500cm	2pcs/pack	PA+PE	110 micron
22*500cm	2pcs/pack	PA+PE	110 micron
25*500cm	2pcs/pack	PA+PE	110 micron
28*500cm	2pcs/pack	PA+PE	110 micron
30*500cm	2pcs/pack	PA+PE	110 micron
32*500cm	2pcs/pack	PA+PE	110 micron

size	pcs	material	1 side thickness
9*13cm	100pcs/pack	PA+PE	80micron
10*15cm	100pcs/pack	PA+PE	80 micron
12*17cm	100pcs/pack	PA+PE	80 micron
13*18cm	100pcs/pack	PA+PE	80 micron
12*20cm	100pcs/pack	PA+PE	80 micron
15*20cm	100pcs/pack	PA+PE	80 micron
16*21cm	100pcs/pack	PA+PE	80 micron
16*24cm	100pcs/pack	PA+PE	80 micron
18*25cm	100pcs/pack	PA+PE	80 micron
18*28cm	100pcs/pack	PA+PE	80 micron
20*26cm	100pcs/pack	PA+PE	80 micron
20*30cm	100pcs/pack	PA+PE	80 micron
22*32cm	100pcs/pack	PA+PE	80 micron
24*32cm	100pcs/pack	PA+PE	80 micron
25*35cm	100pcs/pack	PA+PE	80 micron
28*38cm	100pcs/pack	PA+PE	80 micron
28*40cm	100pcs/pack	PA+PE	80 micron
28*40cm	100pcs/pack	PA+PE	80 micron

size	pcs	material	1 side thickness
12*500cm	1pcs/pack	PA+PE	80 micron
15*500cm	1pcs/pack	PA+PE	80 micron
16*500cm	1pcs/pack	PA+PE	80 micron
18*500cm	1pcs/pack	PA+PE	80 micron
20*500cm	1pcs/pack	PA+PE	80 micron
22*500cm	1pcs/pack	PA+PE	80 micron
24*500cm	1pcs/pack	PA+PE	80 micron
26*500cm	1pcs/pack	PA+PE	80 micron
28*500cm	1pcs/pack	PA+PE	80 micron

size	pcs	material	1 side thickness
7*10cm	100pcs/pack	PA+PE	110 micron
7*12cm	100pcs/pack	PA+PE	110 micron
9*12cm	100pcs/pack	PA+PE	110 micron
10*15cm	100pcs/pack	PA+PE	110 micron
12*20cm	100pcs/pack	PA+PE	110 micron
15*20cm	100pcs/pack	PA+PE	110 micron
15*25cm	100pcs/pack	PA+PE	110 micron
17*25cm	100pcs/pack	PA+PE	110 micron
20*25cm	100pcs/pack	PA+PE	110 micron
20*30cm	100pcs/pack	PA+PE	110 micron
25*30cm	100pcs/pack	PA+PE	110 micron
25*35cm	100pcs/pack	PA+PE	110 micron
28*35cm	100pcs/pack	PA+PE	110 micron
28*40cm	100pcs/pack	PA+PE	110 micron
30*40cm	100pcs/pack	PA+PE	110 micron

Wenzhou Factory
MOBILE: +86 18858875678
TEL: 086-577-88377908
FAX: 0086-577-88360028
Email: joseph@kingpak123.com
kingpak@kingpak123.com

TRANSPARENT PP TRAY BOX

Model	Dimensions(MM)	Weight(G)	MOQ(Pcs)
275ML	140*140*25mm	8	2400
370ML	140*140*35mm	10	1680
500ML	140*140*45mm	12	1200
580ML	140*140*55mm	12	1440
530ML	170*120*40mm	10	1800
680ML	170*120*50mm	12	1200
760ML	170*120*55mm	14	1200
900ML	170*120*65mm	16	1200
480ML	180*120*35mm	11	1200
650ML	180*120*50mm	13	1200
780ML	180*120*60mm	15	1200
450ML	180*130*35mm	12	1500
600ML	180*130*45mm	14	1200
720ML	180*130*55mm	15	1200
970ML	180*130*65mm	16	900
1140ML	180*130*80mm	18	900
500ML	200*140*30mm	11	1800
720ML	200*140*35mm	13	1200
940ML	200*140*55mm	15	1200
900ML	200*140*55mm*2	15	900
1090ML	200*140*65mm	18	900
1350ML	200*140*80mm	19	900
500ML	220*130*30mm	14	1200
650ML	220*130*40mm	16	1200
800ML	220*130*50mm	18	1020
950ML	220*130*60mm	24	900
600ML	220*160*30mm	18	1080
900ML	220*160*40mm	20	720
1300ML	220*160*60mm	24	600
1800ML	220*160*80mm	28	600
770ML	260*170*30mm	25	840
1390ML	260*170*50mm	23	660
2300ML	260*170*80mm	40	300
3300ML	260*170*10mm	45	480
1850ML	300*200*50mm	30	840
2750ML	300*200*80mm	45	560

PP TRANS BOWL

Model	Dimensions(MM)	Weight(G)	MOQ(Pcs)
360ML	120*90*60mm	11	1000
450ML	120*90*75mm	12	1000
550ML	120*90*90mm	14	1000
600ML	150*120*60mm	15	600
800ML	150*120*80mm	18	600
1000ML	150*120*100mm	22	600
1250ML	175*145*80mm	23	720
1750ML	175*145*115mm	33	640

WHITE PP BOWL

Model	Dimensions(MM)	Weight(G)	MOQ(Pcs)
1250ML	175*130*80mm	23	880
1500ML	175*130*100mm	30	800
1750ML	175*130*120mm	33	640

AL BOWL

Model	Dimensions(MM)	MOQ(Pcs)
1250ML	175*145*80mm	720
1500ML	175*145*95mm	640
1750ML	175*145*115mm	640

BLACK COLOR PP TRAY BOX

Model	Dimensions(MM)	Weight(G)	MOQ(Pcs)
275ML	140*140*25mm	8	2400
370ML	140*140*35mm	10	1200
500ML	140*140*45mm	11	1440
580ML	140*140*55mm	12	720
530ML	170*120*40mm	10	1800
680ML	170*120*50mm	12	1200
760ML	170*120*55mm	14	1200
900ML	170*120*65mm	16	1200
480ML	180*120*35mm	11	1200
650ML	180*120*50mm	13	1200
780ML	180*120*60mm	15	1200
450ML	180*130*35mm	12	990
600ML	180*130*45mm	13	945
720ML	180*130*55mm	15	945
970ML	180*130*65mm	16	945
1140ML	180*130*80mm	18	945
500ML	200*140*30mm	11	1800
720ML	200*140*35mm	13	1200
720ML	200*140*35mm	13	1200
940ML	200*140*55mm	15	1200
1090ML	200*140*65mm	18	1200
1350ML	200*140*80mm	19	900
500ML	220*130*30mm	14	1020
650ML	220*130*40mm	16	1200
800ML	220*130*50mm	18	900
950ML	220*130*60mm	24	900
900ML	220*160*40mm	20	720
1300ML	220*160*60mm	24	600
1800ML	220*160*80mm	28	600
1390ML	260*170*50mm	28	600
2300ML	260*170*80mm	40	300
3300ML	260*170*110mm	45	480

Model	Dimensions(MM)	MOQ(Pcs)	Weight(G)
151020	146*100*20	400	11
151030	171*147*28	400	18
201320	201*130*20	600	20
201415	196*135*13	1000	22
201425	196*135*25	900	24
221620	216*156**20	600	22
231426	225*144*26	600	24
241720	235*166*20	500	30
241725	241*172*25	600	33
241735	240*172*35	500	35
251720	246*166*21	600	30
251530	245*150*30	450	26
251540	245*150*40	600	35
261712	259*173*12	600	31
261715	259*173*15	500	33
261720	258*175*20	500	35
261925	256*186*25	500	35
322210	319*219*10	400	52
401815	395*182*15	400	50

Wenzhou Factory
MOBILE: +86 18858875678
TEL: 086-577-88377908
FAX: 0086-577-88360028
Email: joseph@kingpak123.com
kingpak@kingpak123.com

Aluminum Foil Box Series

Model	Top Size(mm)	Height(mm)	Bottom Size(mm)	MOQ(Pcs)
C88/115	88*88mm	25mm	65*65mm	2000
C161/345	161*111mm	28mm	140*90mm	1000
C166/200	166*65mm	28mm	149*48mm	2000
C112/325	112*112mm	40mm	85*85mm	1000
C134/540	134*114mm	67mm	79*68mm	1000
C184/580	184*128mm	34mm	157*101mm	1000
C134/600	134*114mm	67mm	101*81mm	1000
C184/750	184*128mm	45mm	157*101mm	1000
C184/930	184*128mm	57mm	154*98mm	1000
C221/1100	221*168mm	41mm	189*136mm	500
C220/1000	220*150mm	45mm	189*119mm	500
C229/1200	229*133mm	60.6mm	193*97mm	500
C221/1400	221*168mm	56mm	183*130mm	500
C278/2200	278*197mm	55mm	241*160mm	200
C278/3300	278*197mm	85mm	235*154mm	200
C330/3500	330*225mm	60mm	295*190mm	200
C370/4500	370*270mm	60mm	323*223mm	100

Aluminum Foil Box Series

Model	Top Size(mm)	Height(mm)	Bottom Size(mm)	MOQ(Pcs)
Y10/250	110mm	39.5mm	83mm	1000
Y140/410	140mm	36mm	115mm	1000
Y84/130	84mm	35mm	67mm	2000
Y128/450	128mm	50mm	99mm	1000
Y140/750	140mm	70mm	107mm	1000
Y140/570	140mm	55mm	112mm	1000
Y160/825	160mm	56mm	128mm	500
Y180/870	180mm	45mm	150mm	500
Y160/960	160mm	70mm	127mm	1000
Y180/1150	180mm	60mm	137mm	500
Y180/870	180mm	45mm	150mm	500
Y180/1150	180mm	60mm	137mm	500
Y180/1370	180mm	80mm	141mm	500
Y180/1700	180mm	97mm	140mm	500
Y250/3000	250mm	85mm	204mm	200
Y250/3500	250mm	100mm	201mm	200
Y280/4000	280mm	87mm	230mm	200
Y250/2500	250mm	68mm	209mm	200



KY88A PRINT 3 LINES



KY300A PRINT 3 LINES

DY-8
PRINT 3LINES



HP-241
Hot code-printing machine



MS-1100
INK ROLL CODER



MS-200 MS-300
Fiction type code-printing machine

Small Size V Mixer

Large Size V Mixer

Powder Grinder stainless steel

◆ Model: WN-200
Production capacity: 30-120kg/h
Motor power: 2200W

◆ Model: WN-300
Production capacity: 60-200kg/h
Motor power: 5500W

◆ Model: WN-400
Production capacity: 80-300kg/h
Motor power: 7500W

◆ Model: WN-500
Production capacity: 100-500kg/h
Motor power: 11000W

HAND-HELD
ET PRINTER

Household Oil Extreder

KLY-1800 Oil Extreder

Commerical Oil Extreder

Model	Voltage:V/50Hz	Motor Power	Output kg/h
JMC-60	220V	1.5KW	50-500
JMC-80	380V	4KW	200-1500
JMS60	220V	2.2KW	50-500
JMS C-80	380V	4KW	200-1500
JMS C-120	380V	7.5KW	300-2000
JMS C-130	380V	11KW	500-4000
JMS C-150	380V	15KW	700-6000

Peanut Butter Making Machine (Colloid Mill)

Food Dryer

Roasting machine
(Gas/heating)

HG25 25KG/H 100KW
HG50 50KG/H 150KW

KINGPAK

Joseph Liu

Kingpak Manufacturing Co.
496 Station Road
1-503
Lucheng,Wenzhou
China 325000

Mobile: 0086-188 5887 5678
Tel: 0086-0577-883 77908
E-mail: joseph@kingpak123.com
Website: www.kingpak123.com

WhatsApp

Wechat